



PRODUCT QUICK GUIDE

CCTV CHANNEL PRODUCTS

January–June 2022

HIKVISION[®]


DORI Distance (D/O/R/I)

NETWORK CAMERA

Pro Series

Find the Optimal Camera for Your Individual Security Needs

The DORI distance is a "general proximity" of distance which makes it easy to pinpoint the right camera for your needs. The DORI distance is calculated based on sensor specification and lab test results according to EN 62676-4 which defines the criteria for Detect, Observe, Recognize, and Identify, respectively.



Find the Optimal Camera for Your Individual Security Needs


The DORI distance is a “general proximity” of distance which makes it easy to pinpoint the right camera for your needs. The DORI distance is calculated based on sensor specification and lab test result according to EN 62676-4 which defines the criteria for Detect, Observe, Recognize and Identify respectively.

NETWORK CAMERA

Pro Series

DORI Distance (D/O/R/I)

- Detect: 25 ppm
- Observe: 63 ppm
- Recognize: 125 ppm
- Identify: 250 ppm



Find the Optimal Camera for Your Individual Security Needs


The DORI distance is a “general proximity” of distance which makes it easy to pinpoint the right camera for your needs. The DORI distance is calculated based on sensor specification and lab test result according to EN 62676-4 which defines the criteria for Detect, Observe, Recognize and Identify respectively.

NETWORK CAMERA

Pro Series

DORI Distance
(D/O/R/I)

- Detect: 25 ppm
- Observe: 63 ppm
- Recognize: 125 ppm
- Identify: 250 ppm



Find the Optimal Camera for Your Individual Security Needs


The DORI distance is a “general proximity” of distance which makes it easy to pinpoint the right camera for your needs. The DORI distance is calculated based on sensor specification and lab test result according to EN 62676-4 which defines the criteria for Detect, Observe, Recognize and Identify respectively.

Network PTZ CAMERA

Pro Series


DORI Distance (D/O/R/I)

- Detect: 25 ppm
- Observe: 63 ppm
- Recognize: 125 ppm
- Identify: 250 ppm



Network PTZ CAMERA

Value Series




DORI Distance (D/O/R/I)

Thermal


DS-2TDxxx7

- DORI Distance (D/O/R/I)
- Detection distance
 - VCA distance
 - Recognition distance
 - Identification distance



Thermal

DS-2TDxxx8



PRODUCT QUICK GUIDE

CCTV CHANNEL PRODUCTS

January-June 2022

Distributed by



Follow us on social media to get the latest product
and solution information



Hikvision



Hikvision_Global



HikvisionHQ



Hikvision



HikvisionHQ



Hikvision Corporate Channel



www.hikvision.com

HIKVISION®